Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	48	(synchronous with asynchronous) same (hand-off or "handoff")	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:17
S2	12	(synchronous with asynchronous) same (hand-off or "handoff") and @ad<="20001207"	US-PGPUB; USPAT	OR	OFF	2005/08/22 11:18
S3	1	(synchronous with asynchronous) same (hand-off or "handoff") and terminal with capability	US-PGPUB; USPAT	OR	OFF	2005/08/26 11:33
S4	21	(synchronous with asynchronous) same (hand-off or "handoff") and ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2006/07/11 16:02
S5	7	(synchronous with asynchronous) same (hand-off or "handoff") and message with ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2005/08/26 11:45
S6	15	message with mobile with support\$4 with ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2005/08/26 11:49
S7	1	protocol with revision with number with synchronous with ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2005/08/26 11:49
S 8	1410	message with mobile with support\$4	US-PGPUB; USPAT	OR	ON	2005/08/26 11:49
S9	3	protocol with revision with number with synchronous and ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2005/08/26 11:50
S10	5	protocol with revision with number with synchronous	US-PGPUB; USPAT	OR	ON	2005/08/26 13:54
S11	1	IMT-2000 with UE with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 12:22
S12	5	IMT-2000 and UE with capability with message	US-PGPUB; USPAT	OR	ON	2006/07/11 15:28
S13	24	dual with mode with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/29 10:03
S14	10	synchronous with asynchronous with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 12:52
S15	41	UE with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 13:47
S16	4	protocol with revision with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 13:48
S17	5	protocol with revision with capability with mobile	US-PGPUB; USPAT	OR	ON	2005/08/26 13:50
S18	5	protocol with revision with capabilit\$3 with mobile	US-PGPUB; USPAT	OR	ON	2005/08/26 13:51

799	message with capabilit\$3 with mobile	US-PGPUB; USPAT	OR	ON	2005/08/26 13:51
12	3G with 2G with capabilit\$3 with mobile	US-PGPUB; USPAT	OR	ON	2005/08/26 13:51
1	protocol with revision with number with synchronous and service with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 13:54
1664	service with capability with message	US-PGPUB; USPAT	OR	ON	2005/08/26 13:54
2	service with capability with message with synchronous with asynchronous	US-PGPUB; USPAT	OR	ON	2005/08/26 13:55
10	capabilit\$3 with message with synchronous with asynchronous	US-PGPUB; USPAT	OR	ON	2005/08/26 14:02
0	mobile with TCI with message	US-PGPUB; USPAT	OR	ON	2005/08/26 14:02
3	mobile with TCI	US-PGPUB; USPAT	OR	ON	2005/08/26 14:17
67	terminal adj capability adj (message or information)	US-PGPUB; USPAT	OR	ON	2005/08/26 14:18
22	(synchronous with asynchronous) same (dual-mode or "dual mode")	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:24
7	(synchronous with asynchronous) same (dual-mode or "dual mode") same mobile	US-PGPUB; USPAT	OR	ON	2005/08/26 15:20
4	protocol with (revision or rev) same (dual-mode or "dual mode") same mobile	US-PGPUB; USPAT	O _R	ON	2005/08/26 15:21
0	(synchronous with asynchronous) same operable with message with moblile	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:25
27	(synchronous with asynchronous) with message with mobile	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:45
3	(synchronous with asynchronous) with 2G with 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:46
0	capablity with message with 2G with 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:47
0	capablity with message same 2G same 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:46
0	capablity same mobile same 2G same 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:46
1	capability with message with 2G with 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:47
7	capability with mobile with 2G with 3G	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:48
	12 1 1664 2 10 0 3 67 22 7 4 0 27 3 0 0 0 1	mobile 12 3G with 2G with capabilit\$3 with mobile 1 protocol with revision with number with synchronous and service with capability with message 1664 service with capability with message with synchronous with asynchronous 2 service with capability with message with synchronous with asynchronous 10 capabilit\$3 with message with synchronous with asynchronous mobile with TCI with message 3 mobile with TCI with message 3 mobile with TCI 67 terminal adj capability adj (message or information) 22 (synchronous with asynchronous) same (dual-mode or "dual mode") 7 (synchronous with asynchronous) same (dual-mode or "dual mode") same mobile 4 protocol with (revision or rev) same (dual-mode or "dual mode") same mobile 0 (synchronous with asynchronous) same operable with message with mobilie 27 (synchronous with asynchronous) with message with mobile 3 (synchronous with asynchronous) with 2G with 3G 0 capablity with message with 2G with 3G 1 capability same mobile same 2G same 3G 1 capability with message with 2G with 3G 7 capability with mobile with 2G with 3G 7 capability with mobile with 2G with 3G	mobile 3G with 2G with capabilit\$3 with mobile 1 protocol with revision with number with synchronous and service with capability with message 1664 service with capability with message with synchronous with asynchronous 10 capabilit\$3 with message with synchronous with asynchronous 10 mobile with TCI with message 10 mobile with TCI with message 11 us-pgpub; uspat 12 us-pgpub; uspat 13 mobile with TCI with message 14 capability adj (message or information) 15 us-pgpub; uspat 16 (synchronous with asynchronous) same (dual-mode or "dual mode") 17 (synchronous with asynchronous) same (dual-mode or "dual mode") same mobile 18 protocol with (revision or rev) same (dual-mode or "dual mode") same mobile 19 protocol with (revision or rev) same (dual-mode or "dual mode") same operable with message with mobile 20 (synchronous with asynchronous) same operable with message with mobile 21 (synchronous with asynchronous) with 2G with 3G 22 (synchronous with asynchronous) with 2G with 3G 23 (synchronous with asynchronous) with message with mobile 24 (synchronous with asynchronous) with 2G with 3G 25 capability with message same 2G same 3G 26 capability same mobile same 2G us-pgpub; us-pgpu	mobile 12 3G with 2G with capabilit\$3 with mobile 1 protocol with revision with number with synchronous and service with capability with message 1664 service with capability with message 2 service with capability with message with synchronous with asynchronous 10 capabilit\$3 with message with synchronous with asynchronous 10 mobile with TCI with message 167 terminal adj capability adj (message or information) 18 (synchronous with asynchronous) same (dual-mode or "dual mode") 19 (synchronous with asynchronous) same (dual-mode or "dual mode") 10 (synchronous with asynchronous) same (dual-mode or "dual mode") 10 (synchronous with asynchronous) same (dual-mode or "dual mode") 19 (synchronous with asynchronous) same (dual-mode or "dual mode") 20 (synchronous with asynchronous) same (dual-mode or "dual mode") 21 (synchronous with asynchronous) same (dual-mode or "dual mode") 22 (synchronous with asynchronous) same (dual-mode or "dual mode") 23 (synchronous with asynchronous) with mobile 24 protocol with (revision or rev) same (dual-mode or "dual mode") 25 (synchronous with asynchronous) with message with mobile 26 (synchronous with asynchronous) with message with mobile 27 (synchronous with asynchronous) with 2G with 3G 28 (synchronous with asynchronous) with 2G with 3G 29 (synchronous with asynchronous) with 2G with 3G 30 (synchronous with asynchronous) with 2G with 3G 40 (synchronous with asynchronous) with 2G with 3G 41 (synchronous with asynchronous) with 2G with 3G 42 (synchronous with asynchronous) with 2G with 3G 43 (synchronous with asynchronous) with 2G with 3G 44 (synchronous with asynchronous) with 2G with 3G 45 (synchronous with asynchronous) with 2G with 3G 46 (synchronous with asynchronous) with 2G with 3G 47 (synchronous with asynchronous) with 2G with 3G 48 (synchronous with asynchronous) with 2G with 3G 49 (synchronous with asynchronous) with 2G with 3G 40 (synchronous with asynchronous) with 2G with 3G 40 (synchronous with asynchronous) with 2G wi	mobile 12 3G with 2G with capabilit\$3 with mobile 1 protocol with revision with number with synchronous and service with capability with message 1664 service with capability with message 2 service with capability with message 3 service with capability with message 4 service with capability with message 5 service with capability with message 10 capabilits3 with message with synchronous with asynchronous 10 capabilits3 with message with synchronous with asynchronous 10 mobile with TCI with message 10 service with capability with message 10 service with capability with message 11 service with capability with message 12 service with capability with message 13 synchronous with asynchronous 14 us-PGPUB; or

			y			
S39	1541	IMT-2000	US-PGPUB; USPAT	OR	OFF	2005/08/26 15:48
S40	14	IMT-2000 same (capability with mobile)	US-PGPUB; USPAT	OR	OFF	2005/08/29 11:05
S41	1364	("dual-mode" or "dual mode") and packet and voice	US-PGPUB; USPAT	OR	ON	2005/08/29 10:30
S42	2060	("dual-mode" or "dual mode") and packet withvoice	US-PGPUB; USPAT	OR	ON	2005/08/29 10:04
S43	536	("dual-mode" or "dual mode") and packet with voice	US-PGPUB; USPAT	OR	ON	2005/08/29 10:04
S44	185	("dual-mode" or "dual mode") and packet with voice and @ad<="20001207"	US-PGPUB; USPAT	OR	ON	2005/08/29 10:11
S45	98	S44 and (handoff or hand-off)	US-PGPUB; USPAT	OR	ON	2005/08/29 10:10
S46	19	S44 and (handoff or hand-off) and capability with (information or message)	US-PGPUB; USPAT	OR	ON	2005/08/29 10:10
S47	536	("dual-mode" or "dual mode") and packet with voice and (@ad<="20001207" or rlad@<="20001207")	US-PGPUB; USPAT	OR	ON	2006/07/11 15:26
S48	400	("dual-mode" or "dual mode") and synchronous and (@ad<="20001207" or rlad@<="20001207")	US-PGPUB; USPAT	OR	ON	2005/08/29 10:12
S49	100	("dual-mode" or "dual mode") and synchronous and (handoff or hand-off) and (@ad<="20001207" or rlad@<="20001207")	US-PGPUB; USPAT	OR	ON	2005/08/29 10:13
S50	. 1	"5930714".PN.	USPAT; USOCR	OR	OFF	2005/08/29 10:24
S51	48	IMT-2000 and capability with message	US-PGPUB; USPAT	OR	ON	2005/08/29 10:29
S52	. 4	IMT-2000 and capability adj message	US-PGPUB; USPAT	OR	ON	2005/08/29 10:30
S53	537	capability adj message	US-PGPUB; USPAT	OR	ON	2005/08/29 10:30
S54	12	("dual-mode" or "dual mode") and capability adj message	US-PGPUB; USPAT	OR	ON	2005/08/29 10:31
S55	1	IMT-2000 same UE adj capability	US-PGPUB; USPAT	OR .	OFF	2005/08/29 11:05
S56	41	UE adj capability	US-PGPUB; USPAT	OR	OFF	2005/08/29 11:05

		LASI Searc	,			
S57	38	protocol with revision and dual-mode	US-PGPUB; USPAT	OR	ON	2005/08/29 11:37
S58	6	"UE capability message"	US-PGPUB; USPAT	OR	ON	2005/08/29 16:58
S59	4707	370/331,335,342.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/29 16:58
S60	403	370/331,335,342.ccls. and dual-mode	US-PGPUB; USPAT	OR	ON	2005/08/29 16:58
S61	483	370/331,335,342.ccls. and ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2005/08/29 16:59
S62	348	370/331,335,342.ccls. and ("dual-mode" or "dual mode") and ("handoff" or "hand-off" or "hand off" or "hand-over" or "handover")	US-PGPUB; USPAT	OR	ON	2005/08/29 17:00
S63	35	370/331,335,342.ccls. and ("dual-mode" or "dual mode") and ("handoff" or "hand-off" or "hand off" or "hand-over" or "hand over" or "handover") and (asynchronous and synchronous)	US-PGPUB; USPAT	OR	ON	2005/08/29 17:06
S64	1074	370/331.ccls.	US-PGPUB; USPAT	OR	ON	2005/08/29 17:06
S65	8862125	(@prad<="20001207" or @ad<="20001207" or rlad@<="20001207")	US-PGPUB; USPAT	OR	ON	2006/07/11 15:27
S66	1425	370/331.ccls.	US-PGPUB; USPAT	OR	ON	2006/07/11 15:28
S67	1425	S66 and S65	US-PGPUB; USPAT	OR .	ON	2006/07/11 15:28
S68	61	IMT-2000 and capability with message	US-PGPUB; USPAT	OR	ON	2006/07/11 15:30
S69	14486	capability with message	US-PGPUB; USPAT	OR	ON	2006/07/11 15:29
S70	66	S67 and S69	US-PGPUB; USPAT	OR	ON	2006/07/11 15:29
S71	61	S68 and S65	US-PGPUB; USPAT	OR	ON	2006/07/11 15:29
S72	61	IMT-2000 and (capability with message)	US-PGPUB; USPAT	OR	ON	2006/07/11 15:30
S73	911	terminal with capability with message	US-PGPUB; USPAT	OR	ON	2006/07/11 16:00
S74	911	S65 and S73	US-PGPUB; USPAT	OR	ON	2006/07/11 15:30
S75	462	terminal with capability with message and @ad<="20001207"	US-PGPUB; USPAT	OR	ON	2006/07/11 15:31

S76	602	terminal with capability with message and (@rlad<="20011207" or @prad<="20001207" or @ad<="20001207")	US-PGPUB; USPAT	OR	ON	2006/07/11 15:33
S77	24508	dual-mode or (dual with mode)	US-PGPUB; USPAT	OR	ON	2006/07/11 15:33
S78	21	S76 and S77	US-PGPUB; USPAT	OR	ON	2006/07/11 15:33
S79	1676	dual-mode.clm. or (dual adj mode). clm.	US-PGPUB; USPAT	OR	ON	2006/07/11 15:33
S80	426	(terminal near2 capability).clm.	US-PGPUB; USPAT	OR	ON	2006/07/11 15:34
S81	1	S79 and S80	US-PGPUB; USPAT	OR	ON	2006/07/11 15:34
S82	318	(message near2 capability).clm.	US-PGPUB; USPAT	OR	ON	2006/07/11 15:34
S83	3	S79 and S82	US-PGPUB; USPAT	OR	ON	2006/07/11 15:34
S84	25	(synchronous with asynchronous) same (hand-off or "handoff") and ("dual-mode" or "dual mode")	US-PGPUB; USPAT	OR	ON	2006/07/11 16:02
S85	25	S84	US-PGPUB; USPAT	OR	ON	2006/07/11 16:02

Page 5